

TRUSTED SINCE 1926

BONIDE



Bug & Slug Killer

Kills slugs, snails and other listed insects

For use around vegetables, fruit trees, citrus, berries, ornamentals, gardens and in greenhouses (non-commercial)

Effective for up to 4 weeks

People & pets can enter the area after product is applied

ACTIVE INGREDIENTS:	By weight
Iron phosphate0.97%
Spinosad (a mixture of spinosyn A and spinosyn D)0.07%
OTHER INGREDIENTS:	<u>.98.96%</u>
TOTAL:	<u>100.00%</u>

EPA Reg. No. 67702-24-4 EPA Est. No. 4-NY-1

For Outdoor Use Around Residential Sites

Keep Out Of Reach Of Children

CAUTION (See Back Booklet for Additional Precautionary Statements and First Aid)

**Treats
3000 sq. ft.**



Snail

Slug

Cutworm

Earwig



**FOR ORGANIC
GARDENING**



Bug & Slug Killer

- ✓ For use around vegetables, fruit trees, berries ornamental and gardens
- ✓ Kills earwigs, cutworms, slugs and snails
- ✓ Easy-to-use pellet formulation
- ✓ Contains spinosad
- ✓ Lures slugs, snails and other listed insects from hiding places and plants
- ✓ No slime trails
- ✓ Lasts up to 4 weeks

Made with Ferramol™ Slug and Snail Bait,
A trademark of W. Neudorff GmbH KG
EPA Reg. No. 67702-24-4 EPA Est. No. 4-NY-1
©Bonide Products, LLC All Rights Reserved

Distributed by:
Bonide Products, LLC
6301 Sutliff Road
Oriskany, NY 13424



BN

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

PESTS CONTROLLED

Earwigs, cutworms, sowbugs, pillbugs, crickets, ants (excluding fire ants, harvester ants, Pharaoh's ants and carpenter ants), slugs and snails.

APPLICATION DIRECTIONS

Scatter the bait granules on the soil around or near the plants to be protected with a hand or power operated broadcast, granular or drop spreader (gravity or rotary) to ensure uniform coverage over the treatment area. Apply bait evenly at approximately 0.5 to 1 lb per 1000 square feet, or for smaller areas, 0.075 to 0.15 oz, or 0.5 to 1 teaspoon, per square yard. Do not place in piles. Scatter the bait around the perimeter of the area to provide a protective "barrier" for pests entering the area. If the ground is dry, wet it before applying bait. The product works best when soil is moist but with little or no standing water. Do not use food utensils such as tablespoons, cups, etc. for food purposes after pesticide use.

Do not apply more than 3 times in any 30 day period. Apply at the higher rate if the infestation is severe. Re-apply after heavy rain or watering. Do not apply within 3 days of harvest.

For seedlings spread the bait around the base of the stem. For trees or shrubs, spread the bait around the base of the tree. For small plots, treat around the base of the plants to be protected. In greenhouses, scatter the bait in the pots of plants being damaged or around pots on greenhouse benches.

Evening is the best time to apply the bait as pests travel and feed mostly by night or early morning. Treat all likely areas of infestation, especially around the perimeter of garden plots, for target pests because pests travel into plant areas from daytime refuges.

USE SITES

Vegetables: artichokes (globe), asparagus, beans, beets, broccoli, Brussels sprouts, cabbage, cantaloupe, carrots, cauliflower, corn, cucumbers, eggplants, garlic, lettuce, onions, peas, peppers, potatoes, radishes, rutabagas, spinach, soybeans, squash, Swiss chard, tomatoes and turnips; **Fruits:** apples, avocados, apricots, cherries, grapes, melons, peaches, plums, citrus, pears; **Berries:** strawberries, blueberries, loganberries; **Outdoor Ornamentals;** **Greenhouses (Non-Commercial); Lawns; Turf.**

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store this product in its original container and keep in a secure storage area out of reach of children and domestic animals.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable. Do not reuse or refill this container. If **empty:** Place in trash or offer for recycling if available. If **partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

FIRST AID

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For emergency information concerning this product, call the poison control center 1-800-222-1222.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals: Caution. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

Environmental Hazards: To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems.

WARRANTY

To the extent consistent with applicable law, seller warrants that this product conforms to the chemical description on this label and is reasonably fit for purposes stated on this label only when used in accordance with directions under normal use conditions. To the extent consistent with applicable law, this warranty does not extend the use of this product contrary to label directions, or under abnormal use conditions, or under conditions not reasonably foreseeable to seller. To the extent consistent with applicable law, seller makes no other warranties, either expressed or implied.

TRUSTED SINCE 1926

BONIDE[®]

Lift & Peel Here

KEEP OUT OF REACH OF CHILDREN CAUTION

See Back Booklet for
Additional Precautionary Statements and First Aid.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store this product in its original container and keep in a secure storage area out of reach of children and domestic animals.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals: Caution. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

Bonide Products, LLC - Consumer Services ©Bonide Products, LLC
6301 Sutliff Road Oriskany, NY 13424 All Rights Reserved